



CHOOSE FROM 6 SUSPENSION TECHNIQUES

Before ordering your Roll Trac System, determine the precise area to be enclosed, the number of sides and dividing panels needed and the height of the curtain or curtains required. You will want to consider the possibility of rounded corners which may be traversed by the curtain, or curtain-stopping right angles. Check the 6 suspension techniques that follow and determine which best suits your requirements. Then order the appropriate hardware parts. Note: utilize at least 1 support connector for each 5 feet of Roll Trac. Available curtain materials are described on page 66. When measuring the width of curtains, add 10% for draping




BEAM OR CHAIN SUPPORTMOUNT

Attaches to beam or any member immediately above the top level of the curtain. May be used with round or right angle corners.




THREADED ROD

For use when there are no easily accessible structures near the track. Threaded Rod attaches to the ceiling height significantly above the track system.




CEILING MOUNT

Attaches directly to ceiling or any flat horizontal surface directly above the curtain. May be used with round or right angle corners.




WALL MOUNT

Attaches to walls or any vertical surface. May be used with other mounting techniques.



FLOOR COLUMN (Free Standing)

Permits erection of screens in any area. Base and tube assembly may be used with round or right angle corners.






BEAM FLANGE

Permits attachment of roof truss section, beams and channels. Secured with edge clamps and set screws. Clamps can be rotated for proper alignment.


WALL MOUNT

SUPPORT HARDWARE




.25" x .75"
SLOT (2)

Split Support Bracket Flange Up 7710K47-A*



Attaches to walls or any vertical surface. May be used with other mounting techniques.



FOB Chicago, IL





Special Volume Pricing

FOB Chicago, IL


Special Volume Pricing

BEAM FLANGE

SUPPORT HARDWARE




Beam Flange Split Support 7710K88




Beam Flange \"T\" 3-Way Connector 7710K90

Permits attachment of roof truss section, beams and channels. Secured with edge clamps and set screws. Clamps can be rotated for proper alignment.

FLOOR COLUMN (Free Standing)



Permits erection of curtains in any area. Base and tube assembly may be used with round or right angle corners.



Floor Mount Curved Track
24" Radius
7710K56

FOB Chicago, IL


Special Volume Pricing

FOB Chicago, IL



Special Volume Pricing

SUPPORT HARDWARE

Floor "T"
Bracket
3-Way
Connector
7710K53



90° Angle
Connector
Floor Mount
7710K52




Split
Support
Floor
Mount
7710K55


Floor Mount
Columns
6' - 7710K76
7' - 7710K77
8' - 7710K78



Floor Mount
Track
Bracket
7710K55-A





Floor Mount
Base
7710K51




THREADED ROD

SUPPORT HARDWARE




Threaded
Rod
Split
Support
7710K84

"T" Bracket
3-Way
Connector
7710K86




For use when there are no easily accessible structures near the track. Threaded Rod attaches to the ceiling height significantly above the track system.




90° Angle
Connector
7710K85

Threaded
Rod
Connector
7710K83*





BEAM OR CHAIN SUPPORT MOUNT

ROLLER TRACK
AVAILABLE IN STAINLESS STEEL





SUPPORT HARDWARE



Beam "T" 3-Way Connector
7710K65

Split Beam Support
7710K36-A*

Attaches to beam or any member immediately above the top level of the curtain. May be used with round or right angle corners.



90° Beam Support Angle Connector
7710K61*

Beam Support Connector
7710K36*



24" Radius Curved Track with Three Supports
7710K24*

*Available in 12 gauge steel & stainless steel


FOB Chicago, IL

Special Volume Pricing



CEILING MOUNT

FOB Chicago, IL

Special Volume Pricing





SUPPORT HARDWARE



Ceiling Support Split
7710K37-A*


90° Ceiling Angle Connector
7710K62

Attaches directly to ceiling or any flat horizontal surface directly above the curtain. May be used with round or right angle corners.



Ceiling "T" 3-Way Connector
7710K63

Ceiling Support Connector
7710K37*




Curved Track with Three Ceiling Supports
7710K26*

*Available in 12 gauge steel & stainless steel

ROLLER TRACK

***AVAILABLE IN STAINLESS STEEL**

16 gauge galvanized steel Roller Track up to 20 ft. long. Holes for connectors punched in the ends.




Length	Product Number
2 Ft.	7710K10
4 Ft.	7710K11
5 Ft.	7710K12
6 Ft.	7710K13
7 Ft.	7710K14
8 Ft.	7710K15
9 Ft.	7710K16
10 Ft.*	7710K17
12 Ft.	7710K18
14 Ft.	7710K19
16 Ft.	7710K20
20 Ft.	7710K21

*Also available in 12 gauge steel and Stainless Steel


FOB Chicago, IL

Special Volume Pricing

PLAIN CURVED TRACK



24" Radius Curved Track with Plain Connectors
7710K25*




Plain Connector
7710K38*

FOB Chicago, IL

Special Volume Pricing


TRACK END STOPS




Plain End Stop
7710K31*



Adjustable End Stop
7710K31-A*



Wall Mount End Stop
Flange Down
7710K32*




Wall Mount End Stop Flange Up
7710K33*


FOB Chicago, IL

Special Volume Pricing


CURTAIN TROLLEYS



Nylon Roller
with 1/2"
Hook
7710K41



Nylon
Roller
with 1"
Hook
7710K42*




Steel Ball
Bearing
Roller
with 1/2"
Hook
7710K43*

FOB Chicago, IL


Special Volume Pricing



Steel Ball
Bearing
Roller
with 1"
Hook
7710K44*




Edge
Clamp
7710K91



4^l Pull Rope
Trolley Steel
Wheels
7710K80*

FOB Chicago, IL

Special Volume Pricing



Overlap Trolley
Steel Wheels
7710K72*

Available with
Pull Rope
7710K70

FOB Chicago, IL

Special Volume Pricing

MISC. SUPPORT COMPONENTS FOR MOVABLE CURTAINS